## GASTROENTEROLOGY AND HEPATOLOGY CENTER

## Sanjeev M. Wasan, M.D., PLC

19420 Golf Vista Plaza, Suite 230, Lansdowne, VA 20176 Phone: 703-724-4480 Fax:703-724-7743

## **INSTRUCTIONS FOR EGD (UPPER ENDOSCOPY)**

## **RESTRICTIONS:** Beginning 5 days prior to procedure

- **\*Aspirin**: Stop taking aspirin and aspirin type products **5 days** before procedure unless directed otherwise. Avoid aspirin, Advil, Motrin, Aleve, Excedrin, iron pills, arthritis medications, NSAIDS or **any similar medications** for 5 days prior to the procedure. Tylenol is permitted.
- \*Please Stop Taking: Coumadin, Xarelto, Pradaxa, Effient, Eliquis and Plavix or any other blood thinners 5 days prior to procedure unless otherwise directed.
- \*Supplements and Vitamins: Stop taking any herbal medications, Vitamin E, Fish Oil, Multi Vitamins, etc. 5 days prior to procedure unless otherwise directed.
- **\*Alcohol:** Do not drink alcohol or alcohol products starting 5 days before procedure, including **beer and wine**.
- \*\*\*Regularly prescribed medications, excluding those mentioned above CAN be taken the day before and the morning of the procedure at least 4 hrs prior to procedure time.
- \*Do not eat or drink anything after midnight the night before the procedure. A few sips of water with medication are allowed. Hydration prior to midnight is advised.
- \*\*\*Arrange for a reliable adult to drive you to the procedure and to pick you up after the procedure. OPERATING A VEHICLE or any other machinery is PROHIBITED for at least 12 hours after the procedure because of the effects of the medications used for sedation.
- \*\*\*Please call our office if you have any questions regarding the procedure.